

**Sharphill Wood**
**2017**
**2018**
**2019**
**2020 Flowers**
**Wild Flowers**

|   |    |    |    |    |         |
|---|----|----|----|----|---------|
| Agrimony ( <i>Agrimonia eupatoria</i> )                   | 17 | 18 | 19 | 20 | Jun-Sep |
| Alkanet, Green ( <i>Pentaglottis sempervirens</i> )       |    |    | 19 |    | Apr-Jul |
| Anemone, Wood ( <i>Anemone nemorosa</i> )                 | 17 | 18 | 19 | 20 | Mar-Apr |
| Angelica ( <i>Angelica sylvestris</i> )                   |    |    |    |    | Jun-Sep |
| Avens, Wood ( <i>Geum urbanum</i> )                       | 17 | 18 | 19 | 20 | May-Aug |
| Bindweed, Field ( <i>Convolvulus arvensis</i> )           | 17 | 18 | 19 | 20 | Jun-Sep |
| Bird's-foot-trefoil, Common ( <i>Lotus corniculatus</i> ) | 17 |    | 19 | 20 | Jun-Sep |
| Bluebell, Spanish ( <i>Hyacinthoides hispanica</i> )      | 17 | 18 | 19 | 20 | Apr-Jun |
| Bluebell ( <i>Hyacinthoides non-scripta</i> )             | 17 | 18 | 19 | 20 | Apr-May |
| Bramble ( <i>Rubus fruticosus</i> )                       | 17 | 18 | 19 | 20 | May-Sep |
| Bryony, Black ( <i>Tamus communis</i> )                   |    |    | 19 | 20 | May-Jul |
| Bryony, White ( <i>Bryonia dioica</i> )                   | 17 | 18 | 19 | 20 | May-Sep |
| Buglos ( <i>Anchusa arvensis</i> )                        |    | 18 | 19 |    | Jun-Jul |
| Burdock, Lesser ( <i>Arctium minus</i> )                  | 17 | 18 | 19 | 20 | Jul-Sep |
| Buttercup, Bulbous ( <i>Ranunculus bulbosus</i> )         | 17 | 18 |    | 20 | Apr-Jun |
| Buttercup, Creeping ( <i>Ranunculus repens</i> )          | 17 | 18 | 19 | 20 | May-Aug |
| Buttercup, Meadow ( <i>Ranunculus acris</i> )             |    | 18 | 19 | 20 | May-Aug |
| Campion, Bladder ( <i>Silene vulgaris</i> )               |    | 18 |    |    | Jun-Aug |
| Campion, Red ( <i>Silene dioica</i> )                     | 17 | 18 | 19 | 20 | Apr-Jul |
| Campion, White ( <i>Silene latifolia</i> )                | 17 | 18 |    | 20 | May-Oct |
| Carrot, Wild ( <i>Daucus carota</i> )                     |    |    |    |    | Jun-Aug |
| Celandine, Lesser ( <i>Ranunculus ficaria</i> )           | 17 | 18 | 19 | 20 | Mar-May |
| Charlock ( <i>Sinapis arvensis</i> )                      | 17 |    | 19 | 20 | May-Aug |
| Chickweed, Common ( <i>Stellaria media</i> )              | 17 | 18 | 19 |    | Jan-Dec |
| Chickweed, Greater ( <i>Stellaria neglecta</i> )          |    |    |    |    | Apr-Jul |
| Cleavers ( <i>Galium aparine</i> )                        | 17 | 18 | 19 | 20 | Jun-Aug |
| Clover, Bird's-foot ( <i>Trifolium ornithopodioides</i> ) |    |    |    |    | May-Sep |
| Clover, Red ( <i>Trifolium pratense</i> )                 | 17 | 18 |    | 20 | May-Sep |
| Clover, White ( <i>Trifolium repens</i> )                 | 17 | 18 | 19 | 20 | Jun-Sep |
| Clover, Zig Zag ( <i>Trifolium medium</i> )               |    |    |    |    | Jun-Sep |
| Corn Spurrey ( <i>Spergula arvensis</i> )                 |    |    |    |    | Jun-Aug |
| Cow Parsley ( <i>Anthriscus sylvestris</i> )              | 17 | 18 | 19 | 20 | Apr-Jun |
| Cowslip ( <i>Primula veris</i> )                          |    |    |    | 20 | Apr-May |
| Crane's-bill, Cut-leaved ( <i>Geranium dissectum</i> )    | 17 | 18 | 19 | 20 | May-Aug |
| Crane's-bill, Dove's-foot ( <i>Geranium molle</i> )       |    | 18 | 19 | 20 | Apr-Sep |
| Crane's-bill, Meadow ( <i>Geranium pratense</i> )         |    |    |    | 20 | Jun-Sep |
| Crane's-bill, Pencilled ( <i>Geranium versicolor</i> )    |    |    | 19 | 20 | May-Sep |
| Crane's-bill, Small-flowered ( <i>Geranium pusillum</i> ) |    |    | 19 | 20 | Jun-Sep |
| Creeping Cinquefoil ( <i>Potentilla reptans</i> )         |    |    |    |    | Jun-Sep |
| Cuckoo Pint ( <i>Arum maculatum</i> )                     | 17 | 18 | 19 | 20 | Apr-May |
| Daisy ( <i>Bellis perennis</i> )                          | 17 |    |    |    | Mar-Oct |
| Daffodil ( <i>Narcissus pseudonarcissus</i> )             | 17 | 18 | 19 | 20 | Mar-Apr |
| Dandelion ( <i>Taraxum agg</i> )                          | 17 | 18 | 19 | 20 | Mar-Oct |
| Dead Nettle, Red ( <i>Lamium purpureum</i> )              | 17 | 18 | 19 | 20 | Mar-Oct |
| Dead Nettle, White ( <i>Lamium album</i> )                | 17 | 18 | 19 | 20 | May-Dec |
| Dock, Broad Leaved ( <i>Rumex obtusifolius</i> )          | 17 | 18 | 19 | 20 | Jun-Oct |
| Dock, Clustered ( <i>Rumex conglomeratus</i> )            | 17 | 18 | 19 | 20 | Jul-Sep |
| Dock, Curled ( <i>Rumex crispus</i> )                     | 17 | 18 | 19 | 20 | Jun-Oct |

|   |    |    |    |    |         |
|---|----|----|----|----|---------|
| Dock, Wood ( <i>Rumex sanguineus</i> )                  |    | 18 | 19 | 20 | Jun-Aug |
| Dog-violet, Common ( <i>Viola riviniana</i> )           | 17 | 18 | 19 | 20 | Mar-May |
| Dog-violet, Early ( <i>Viola reichenbachiana</i> )      | 17 | 18 | 19 | 20 | Mar-May |
| Enchanters Nightshade ( <i>Circaea lutetiana</i> )      | 17 | 18 | 19 | 20 | Jun-Aug |
| Forget-me-knot, Changing ( <i>Myosotis discolor</i> )   |    | 18 |    |    | May-Jun |
| Forget-me-knot, Field ( <i>Myosotis arvensis</i> )      | 17 | 18 | 19 | 20 | Apr-Sep |
| Forget-me-knot, Wood ( <i>Myosotis sylvatica</i> )      |    | 18 | 19 | 20 | Apr-Aug |
| Foxglove ( <i>Digitalis purpurea</i> )                  |    |    |    |    | Jun-Aug |
| Fumitory, Common ( <i>Fumaria officinalis</i> )         | 17 |    |    |    | May-Oct |
| Garlic Mustard ( <i>Alliaria petiolata</i> )            | 17 | 18 | 19 | 20 | Apr-Jul |
| Glory of the Snow ( <i>Chionodoxa luciliae</i> )        |    |    |    |    | Mar-Apr |
| Gorse ( <i>Ulex europaeus</i> )                         |    | 18 | 19 | 20 | Jan-Dec |
| Ground-ivy ( <i>Glechoma hederacea</i> )                | 17 | 18 | 19 | 20 | Mar-May |
| Groundsel ( <i>Senecio vulgaris</i> )                   | 17 | 18 | 19 | 20 | Jan-Dec |
| Harebell ( <i>Campanula rotundifolia</i> )              |    |    |    |    | Jul-Sep |
| Hawk's-beard, Beaked ( <i>Crepis vesicaria</i> )        |    |    |    | 20 | May-Jul |
| Hawk's-beard, Smooth ( <i>Crepis capillaris</i> )       |    |    |    |    | Jun-Sep |
| Hawkweed – Few Leaved ( <i>Hieracium</i> agg)           | 17 | 18 | 19 | 20 | Jun-Sep |
| Hedge Mustard ( <i>Sisymbrium officinale</i> )          | 17 | 18 | 19 | 20 | Jun-Jul |
| Hedge Woundwort ( <i>Stachys sylvatica</i> )            | 17 | 18 | 19 | 20 | Jul-Sep |
| Hedge-parsley, Upright ( <i>Torilis japonica</i> )      | 17 | 18 | 19 | 20 | Jul-Aug |
| Hemlock ( <i>Conium maculatum</i> )                     | 17 | 18 | 19 | 20 | Jun-Jul |
| Herb-Robert ( <i>Geranium robertianum</i> )             | 17 | 18 | 19 | 20 | Apr-Sep |
| Hogweed ( <i>Heracleum sphondylium</i> )                | 17 | 18 | 19 | 20 | Jun-Sep |
| Honesty ( <i>Lunaria annua</i> )                        |    |    |    | 20 | Apr-Jun |
| Honeysuckle ( <i>Lonicera periclymenum</i> )            |    |    | 19 | 20 | Jun-Sep |
| Ivy ( <i>Hedera helix</i> )                             | 17 | 18 | 19 | 20 | Sep-Nov |
| Knapweed, Common ( <i>Centaurea nigra</i> )             |    |    | 19 |    | Jul-Sep |
| Knotgrass ( <i>Polygonum aviculare</i> )                |    |    | 19 |    | Jul-Oct |
| Mallow, Common ( <i>Malva sylvestris</i> )              |    |    |    | 20 | Jun-Sep |
| Mayweed, Scented ( <i>Matricaria recutia</i> )          | 17 | 18 | 19 | 20 | Jun-Jul |
| Mayweed, Scentless ( <i>Tripleurospermum inodurum</i> ) |    |    |    |    | Jul-Sep |
| Medick, Black ( <i>Medicago lupulina</i> )              |    |    |    | 20 | Apr-Aug |
| Medick, spotted ( <i>Medicago arabica</i> )             |    | 18 |    |    | Apr-Sep |
| Mouse-ear, Little ( <i>Cerastium semidecandrum</i> )    |    |    |    | 20 | Apr-Jun |
| Mugwort ( <i>Artemisia vulgaris</i> )                   |    |    |    |    | Jul-Sep |
| Nettle, Common ( <i>Urtica dioica</i> )                 | 17 | 18 | 19 | 20 | Jun-Aug |
| Nightshade, Black ( <i>Solanum nigrum</i> )             |    |    |    | 20 | Jul-Sep |
| Orchid, Early-purple ( <i>Orchis mascula</i> )          | 17 | 18 | 19 | 20 | Apr-Jun |
| Oxtongue, Bristly ( <i>Picris echioides</i> )           |    | 18 | 19 | 20 | Jun-Oct |
| Pansy, Field ( <i>Viola arvensis</i> )                  |    | 18 |    | 20 | Apr-Oct |
| Penny-cress, Field ( <i>Thlaspi arvense</i> )           |    |    |    | 20 | May-Jul |
| Pimpernel, Scarlet ( <i>Anagallis arvensis</i> )        | 17 | 18 | 19 | 20 | Jun-Aug |
| Pineappleweed ( <i>Matricaria discoidea</i> )           |    | 18 | 19 | 20 | May-Nov |
| Plantain, Greater ( <i>Plantago major</i> )             | 17 | 18 | 19 | 20 | Jun-Oct |
| Plantain, Ribwort ( <i>Plantago lanceolata</i> )        | 17 | 18 | 19 | 20 | Apr-Oct |
| Poppy, Common ( <i>Papaver rhoeas</i> )                 | 17 | 18 | 19 | 20 | Jun-Aug |
| Poppy, Welsh ( <i>Meconopsis cambrica</i> )             | 17 | 18 |    |    | Jun-Aug |
| Prickly Lettuce ( <i>Lactuca serriola</i> )             |    |    |    | 20 | Jul-Sep |
| Ragwort, Common ( <i>Senecio jacobea</i> )              | 17 | 18 | 19 | 20 | Jun-Oct |

|   |           |           |           |           |         |
|---|-----------|-----------|-----------|-----------|---------|
| Redshank ( <i>Persicaria maculosa</i> )                   | 17        |           | 19        |           | Jun-Oct |
| Sandwort, Thyme-Leaved ( <i>Arenia serpyllifolia</i> )    |           |           |           |           | Jun-Aug |
| Scabious, Field ( <i>Knautia arvensis</i> )               | 17        | 18        | 19        | 20        | Jul-Sep |
| Scurvygrass, Common ( <i>Cochlearia officinalis</i> )     |           |           |           |           | May-Aug |
| Selfheal ( <i>Prunella vulgaris</i> )                     | 17        |           | 19        | 20        | Jun-Oct |
| Shepherd's-purse ( <i>Capsella bursa-pastoris</i> )       |           | 18        | 19        | 20        | Jan-Dec |
| Silverweed ( <i>Potentilla anserina</i> )                 |           |           |           |           | Jun-Aug |
| Snowdrop ( <i>Galanthus nivalis</i> )                     |           | 18        | 19        | 20        | Jan-Mar |
| Sow-thistle, Smooth ( <i>Sonchus oleraceus</i> )          | 17        | 18        | 19        | 20        | Jun-Oct |
| Sow-thistle, Perennial ( <i>Sonchus arvensis</i> )        |           | 18        |           |           | Jul-Oct |
| Sow-thistle, Prickly ( <i>Sonchus asper</i> )             | 17        | 18        | 19        | 20        | Jun-Oct |
| Speedwell, Common Field ( <i>Veronica persica</i> )       | 17        | 18        | 19        | 20        | Jan-Dec |
| Speedwell, Germander ( <i>Veronica chamaedrys</i> )       | 17        | 18        | 19        | 20        | Mar-Jul |
| Speedwell, Ivy-leaved ( <i>Veronica hederifolia</i> )     |           | 18        |           | 20        | Apr-May |
| Speedwell, Slender ( <i>Veronica filiformis</i> )         |           |           |           |           | Apr-Jun |
| Speedwell, Thyme-leaved ( <i>Veronica serpyllifolia</i> ) |           |           |           |           | Mar-Oct |
| Speedwell, Wood ( <i>Veronica montana</i> )               | 17        |           | 19        | 20        | Apr-Jul |
| St John's-wort, Perforate ( <i>Hypericum perforatum</i> ) | 17        |           |           | 20        | Jun-Sep |
| Tansy-leaved Phacelia ( <i>Phacelia tanacetifolia</i> )   | 17        |           |           |           | May-Aug |
| Thistle, Creeping ( <i>Cirsium arvense</i> )              | 17        |           | 19        | 20        | Jul-Sep |
| Thistle, Marsh ( <i>Cirsium palustre</i> )                |           | 18        | 19        |           | Jul-Sep |
| Thistle, Slender ( <i>Carduus tenuiflorus</i> )           |           |           |           |           | Jun-Aug |
| Thistle, Spear ( <i>Cirsium vulgare</i> )                 | 17        | 18        | 19        | 20        | Jul-Oct |
| Trefoil, Hop ( <i>Trifolium campestre</i> )               |           | 18        |           |           | Jun-Sep |
| Vetch, Bush ( <i>Vicia cracca</i> )                       |           |           |           |           | Apr-Aug |
| Vetch, Common ( <i>Vicia sativa</i> )                     | 17        | 18        | 19        |           | May-Sep |
| Violet, Sweet ( <i>Viola odorata</i> )                    | 17        | 18        | 19        | 20        | Mar-May |
| Willowherb, Great ( <i>Epilobium hirsutum</i> )           |           |           | 19        | 20        | Jun-Aug |
| Willowherb, Rosebay ( <i>Chamerion angustifolium</i> )    | 17        | 18        | 19        | 20        | Jul-Sep |
| Willowherb, Broad Leaved ( <i>Epilobium montanum</i> )    |           |           |           | 20        | Jun-Aug |
| Yarrow ( <i>Achillea millefolium</i> )                    |           |           |           |           | Jun-Aug |
| <b>Totals</b>   | <b>70</b> | <b>79</b> | <b>82</b> | <b>91</b> |         |

#### Grasses, sedges, rushes and ferns

|   |    |    |    |    |  |
|---|----|----|----|----|--|
| Barley, Six-rowed ( <i>Hordeum vulgare</i> )      |    |    |    | 20 |  |
| Barley, Wall ( <i>Hordeum murinum</i> )           | 17 | 18 | 19 | 20 |  |
| Brome, Barren ( <i>Bromus sterilis</i> )          |    |    |    | 20 |  |
| Brome, Hairy ( <i>Bromus ramosus</i> )            |    | 18 | 19 | 20 |  |
| Brome, Meadow ( <i>Bromus commutatus</i> )        |    | 18 | 19 | 20 |  |
| Brome, Soft ( <i>Bromus hordeaceus</i> )          | 17 | 18 | 19 | 20 |  |
| Cock's-foot ( <i>Dactylis glomerata</i> )         | 17 | 18 | 19 | 20 |  |
| Common Couch Grass ( <i>Elytrigia repens</i> )    |    | 18 |    | 20 |  |
| Foxtail, Meadow ( <i>Alopecurus pratensis</i> )   | 17 | 18 | 19 |    |  |
| Meadow-grass, Rough ( <i>Poa trivialis</i> )      |    |    |    | 20 |  |
| Meadow-grass, Wood ( <i>Poa nemoralis</i> )       |    |    |    |    |  |
| Millet, Wood ( <i>Milium effusum</i> )            | 17 | 18 | 19 | 20 |  |
| Oat-grass, False ( <i>Arrhenatherum elatius</i> ) | 17 | 18 | 19 | 20 |  |
| Rye-grass, Perennial ( <i>Lolium perenne</i> )    |    |    | 19 | 20 |  |
| Timothy ( <i>Phleum pratense</i> )                |    |    | 19 |    |  |
| Wheat, Bread ( <i>Triticum aestivum</i> )         |    |    |    |    |  |



**Species highlighted above: not recorded in surveys before 2017**

Wildflower species only found within wood, 2017

Wildflower species only found in herbaceous zone encircling wood, 2017

Only observed in North East (Zone 2)

Probably hybrid

Could be hybrid

Possibly introduced with other planting

(fr 7-8)

Could be early F-m-k; possibly both are present

Early 2019 whip planting, in flower

Recorded on 08/10/19 after 2019 survey submitted  
Only observed in South West (Zone 5)

Garden escape?





Very similar to Large-leaved Lime (*Tilia platyphyllos*). From 2019 survey, both Common and Large-leaved

FoSW whip planting

Leaning Scots Pine in Zone 3 fallen/been felled??









