

| Sharphill Wood | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | Flowers | |
|---|------|------|------|------|------|------|------|---------|--|
| Wild Flowers | | | | | | | | | |
| Agrimony (<i>Agrimonia eupatoria</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Sep | |
| Alkanet, Green (<i>Pentaglottis sempervirens</i>) | | | 19 | | | | | Apr-Jul | |
| Anemone, Wood (<i>Anemone nemorosa</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Mar-Apr | Only observed in North East (Zone 2) |
| Angelica (<i>Angelica sylvestris</i>) | | | | | | | | Jun-Sep | |
| Avens, Wood (<i>Geum urbanum</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | May-Aug | |
| Barberry (<i>Berberis vulgaris</i>) | | | | | 21 | 22 | 23 | May-Jun | |
| Bindweed, Field (<i>Convolvulus arvensis</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Sep | |
| Bird's-foot-trefoil, Common (<i>Lotus corniculatus</i>) | 17 | | 19 | 20 | | | | Jun-Sep | |
| Bitter-cress, Wavy (<i>Cardamine flexuosa</i>) | | | | | | 22 | | Mar-Sep | |
| Bluebell, Spanish (<i>Hyacinthoides hispanica</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Apr-Jun | Probably hybrid |
| Bluebell (<i>Hyacinthoides non-scripta</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Apr-May | |
| Bramble (<i>Rubus fruticosus</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | May-Sep | |
| Bryony, Black (<i>Tamus communis</i>) | | | 19 | 20 | 21 | 22 | 23 | May-Jul | |
| Bryony, White (<i>Bryonia dioica</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | May-Sep | |
| Buglos (<i>Anchusa arvensis</i>) | | 18 | 19 | | | | | Jun-Jul | |
| Burdock, Lesser (<i>Arctium minus</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jul-Sep | |
| Buttercup, Bulbous (<i>Ranunculus bulbosus</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Apr-Jun | |
| Buttercup, Creeping (<i>Ranunculus repens</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | May-Aug | |
| Buttercup, Meadow (<i>Ranunculus acris</i>) | | 18 | 19 | 20 | 21 | 22 | 23 | May-Aug | |
| Campion, Bladder (<i>Silene vulgaris</i>) | | 18 | | | 21 | 22 | 23 | Jun-Aug | |
| Campion, Red (<i>Silene dioica</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Apr-Jul | |
| Campion, White (<i>Silene latifolia</i>) | 17 | 18 | | | | | | May-Oct | Could be hybrid |
| Carrot, Wild (<i>Daucus carota</i>) | | | | | | | | Jun-Aug | |
| Celandine, Lesser (<i>Ranunculus ficaria</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Mar-May | |
| Charlock (<i>Sinapis arvensis</i>) | 17 | | 19 | 20 | 21 | | | May-Aug | |
| Chickweed, Common (<i>Stellaria media</i>) | 17 | 18 | 19 | | 21 | 22 | 23 | Jan-Dec | |
| Chickweed, Greater (<i>Stellaria neglecta</i>) | | | | | | | | Apr-Jul | |
| Cleavers (<i>Galium aparine</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Aug | |
| Clover, Bird's-foot (<i>Trifolium ornithopodioides</i>) | | | | | | | | May-Sep | |
| Clover, Red (<i>Trifolium pratense</i>) | 17 | 18 | | 20 | 21 | 22 | 23 | May-Sep | |
| Clover, White (<i>Trifolium repens</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Sep | |
| Clover, Zig Zag (<i>Trifolium medium</i>) | | | | | | | | Jun-Sep | |
| Corn Spurrey (<i>Spergula arvensis</i>) | | | | | | | | Jun-Aug | |
| Cowslip (<i>Primula veris</i>) | | | | 20 | 21 | 22 | 23 | Apr-May | |
| Crane's-bill, Cut-leaved (<i>Geranium dissectum</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Apr-May | |
| Crane's-bill, Dove's-foot (<i>Geranium molle</i>) | | 18 | 19 | 20 | 21 | 22 | 23 | Apr-Sep | |
| Crane's-bill, Hedge-row (<i>Geranium pyrenaicum</i>) | | | | | 21 | 22 | 23 | Jun-Sep | |
| Crane's-bill, Meadow (<i>Geranium pratense</i>) | | | | 20 | 21 | | 23 | Jun-Sep | |
| Crane's-bill, Pencilled (<i>Geranium versicolor</i>) | | | 19 | 20 | 21 | 22 | | Jun-Sep | Possibly introduced with other planting |
| Crane's-bill, Small-flowered (<i>Geranium pusillum</i>) | | | 19 | 20 | 21 | | 23 | Jun-Sep | |
| Creeping Cinquefoil (<i>Potentilla reptans</i>) | | | | | | | | Jun-Sep | |
| Crocus, Spring (<i>Crocus vernus</i>) | | | | | | 22 | 23 | Mar-Apr | |
| Cuckoo-pint (<i>Arum maculatum</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Apr-May | (fr 7-8) |
| Currant, Flowering (<i>Ribes sanguineum</i>) | | | | | | | | Mar-Apr | |
| Daisy (<i>Bellis perennis</i>) | 17 | | | | | 22 | 23 | Mar-Oct | |
| Daisy, Oxeye (<i>Leucanthemum vulgare</i>) | | | | | | 22 | 23 | May-Sep | Established in 'Buffer Zone'; some specimens now adjacent to post and rail fence |
| Daffodil (<i>Narcissus pseudonarcissus</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Mar-Apr | |
| Dandelion (<i>Taraxacum</i> agg.) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Mar-Oct | |
| Dead Nettle, Red (<i>Lamium purpureum</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Mar-Oct | |
| Dead Nettle, White (<i>Lamium album</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | May-Dec | |
| Dock, Broad Leaved (<i>Rumex obtusifolius</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Oct | |
| Dock, Clustered (<i>Rumex conglomeratus</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jul-Sep | |
| Dock, Curled (<i>Rumex crispus</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Oct | |
| Dock, Wood (<i>Rumex sanguineus</i>) | | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Aug | |
| Dog-violet, Common (<i>Viola riviniana</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Mar-May | |
| Dog-violet, Early (<i>Viola reichenbachiana</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Mar-May | |
| Enchanters Nightshade (<i>Circaea lutetiana</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Aug | |
| Forget-me-not, Changing (<i>Myosotis discolor</i>) | | 18 | | | | | | May-Jun | Could be early F-m-k; possibly both are present |
| Forget-me-not, Early (<i>Myosotis ramosissima</i>) | | | | | | 22 | 23 | Apr-Sep | |
| Forget-me-not, Field (<i>Myosotis arvensis</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Apr-Sep | |
| Forget-me-not, Wood (<i>Myosotis sylvatica</i>) | | 18 | 19 | 20 | 21 | 22 | | Apr-Aug | |
| Foxglove (<i>Digitalis purpurea</i>) | | | | | | | | Jun-Aug | |
| Fumitory, Common (<i>Fumaria officinalis</i>) | 17 | | | | | | | May-Oct | |
| Glory of the Snow (<i>Chionodoxa luciliae</i>) | | | | | | | | Mar-Apr | |
| Gorse (<i>Ulex europaeus</i>) | | 18 | 19 | 20 | 21 | 22 | | Jan-Dec | |
| Ground-ivy (<i>Glechoma hederacea</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Mar-May | |
| Groundsel (<i>Senecio vulgaris</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jan-Dec | |
| Harebell (<i>Campanula rotundifolia</i>) | | | | | | | | Jul-Sep | |
| Hawk's-beard, Beaked (<i>Crepis vesicaria</i>) | | | | 20 | 21 | | | May-Jul | |
| Hawk's-beard, Smooth (<i>Crepis capillaris</i>) | | | | | | | | Jun-Sep | |
| Hawkweed - Few-leaved (<i>Hieracium</i> agg.) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Sep | |
| Hedge-parsley, Upright (<i>Torilis japonica</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jul-Aug | |
| Hemlock (<i>Conium maculatum</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Jul | |
| Herb-Robert (<i>Geranium robertianum</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Apr-Sep | |
| Hogweed (<i>Heracleum sphondylium</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Sep | |
| Honesty (<i>Lunaria annua</i>) | | | | 20 | 21 | 22 | 23 | Apr-Jun | |
| Honeysuckle (<i>Lonicera periclymenum</i>) | | | | 19 | 20 | 21 | 22 | Jun-Sep | Early 2019 whip planting, in flower |
| Ivy (<i>Hedera helix</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Sep-Nov | |
| Knapweed, Common (<i>Centaurea nigra</i>) | | | 19 | | | | | Jul-Sep | |
| Knotgrass (<i>Polygonum aviculare</i>) | | | 19 | | 21 | 22 | | Jul-Oct | |
| Lettuce, Prickly (<i>Lactuca scariola</i>) | | | | 20 | | | | Jul-Sep | |
| Mallow, Common (<i>Malva sylvestris</i>) | | | | 20 | | | | Jun-Sep | |
| Mayweed, Scented (<i>Matricaria recutita</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Jul | |
| Mayweed, Scentless (<i>Tripleurospermum inodurum</i>) | | | | 20 | 21 | | | Jul-Sep | |
| Medick, Black (<i>Medicago lupulina</i>) | | | | 20 | 21 | | | Apr-Aug | |
| Medick, spotted (<i>Medicago arabica</i>) | | 18 | | | | 22 | 23 | Apr-Sep | |
| Mouse-ear, Little (<i>Cerastium semidecandrum</i>) | | | | 20 | | | | Apr-Jun | |
| Mugwort (<i>Artemisia vulgaris</i>) | | | | | | | | Jul-Sep | |
| Mustard, Garlic (<i>Alliaria petiolata</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Apr-Jul | |
| Mustard, Hedge (<i>Sisymbrium officinale</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Jul | |
| Nettle, Common (<i>Urtica dioica</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Aug | Recorded on 08/10/19 after 2019 survey submitted |
| Nightshade, Black (<i>Solanum nigrum</i>) | | | | 20 | | | | Jul-Sep | Only observed in South West (Zone 5) |
| Orchid, Early-purple (<i>Orchis mascula</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Apr-Jun | |
| Oxtongue, Bristly (<i>Picris echioides</i>) | | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Oct | |
| Pansy, Field (<i>Viola arvensis</i>) | | 18 | | 20 | | | | Apr-Oct | |
| Parsley, Cow (<i>Anthriscus sylvestris</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Apr-Jun | |
| Penny-cress, Field (<i>Thlaspi arvense</i>) | | | | | | | | May-Jul | |
| Pimpernel, Scarlet (<i>Anagallis arvensis</i>) | 17 | 18 | 19 | 20 | | 22 | | Jun-Aug | |
| Pineappleweed (<i>Matricaria discoidea</i>) | | 18 | 19 | 20 | 21 | 22 | 23 | May-Nov | |
| Plantain, Greater (<i>Plantago major</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Oct | |
| Plantain, Ribwort (<i>Plantago lanceolata</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Apr-Oct | |
| Poppy, Common (<i>Papaver rhoeas</i>) | 17 | 18 | 19 | 20 | 21 | 22 | | Jun-Aug | Garden escape? |
| Poppy, Welsh (<i>Meconopsis cambrica</i>) | 17 | 18 | | | 21 | | | Jun-Aug | |
| Radish, Wild (<i>Raphanus raphanistrum</i>) | | | | | 21 | | | May-Sep | |
| Ragwort, Common (<i>Senecio jacobaea</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Oct | |
| Redshank (<i>Persicaria maculosa</i>) | 17 | | 19 | | | | | Jun-Oct | |
| Sandwort, Thyme-leaved (<i>Arenia serpyllifolia</i>) | | | | | | | | Jun-Aug | |
| Scabious, Field (<i>Knautia arvensis</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jul-Sep | |
| Scurvygrass, Common (<i>Cochlearia officinalis</i>) | | | | | | | | May-Aug | |
| Selfheal (<i>Prunella vulgaris</i>) | 17 | | 19 | 20 | 21 | 22 | 23 | Jun-Oct | |
| Shepherd's-purse (<i>Capsella bursa-pastoris</i>) | | 18 | 19 | 20 | 21 | 22 | 23 | Jan-Dec | |
| Silverweed (<i>Potentilla anserina</i>) | | | | | | | | Jun-Aug | |
| Snowdrop (<i>Galanthus nivalis</i>) | | 18 | 19 | 20 | 21 | 22 | 23 | Jan-Mar | |
| Sow-thistle, Smooth (<i>Sonchus oleraceus</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Oct | |
| Sow-thistle, Perennial (<i>Sonchus arvensis</i>) | | 18 | | | 21 | 22 | 23 | Jul-Oct | |
| Sow-thistle, Prickly (<i>Sonchus asper</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jun-Oct | |
| Speedwell, Common Field (<i>Veronica persica</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jan-Dec | |
| Speedwell, Germander (<i>Veronica chamaedrys</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Mar-Jul | |
| Speedwell, Ivy-leaved (<i>Veronica hederifolia</i>) | | 18 | | 20 | 21 | 22 | 23 | Apr-May | |
| Speedwell, Slender (<i>Veronica filiformis</i>) | | | | | | | | Apr-Jun | |
| Speedwell, Thyme-leaved (<i>Veronica serpyllifolia</i>) | | | | | | | | Mar-Oct | |
| Speedwell, Wood (<i>Veronica montana</i>) | 17 | | 19 | 20 | 21 | | | Apr-Jul | |
| St John's-wort, Perforate (<i>Hypericum perforatum</i>) | 17 | | | 20 | | | | Jun-Sep | |
| Tansy-leaved Phacelia (<i>Phacelia tanacetifolia</i>) | 17 | | | | | | | May-Aug | |
| Thistle, Creeping (<i>Cirsium arvense</i>) | 17 | | 19 | 20 | 21 | 22 | 23 | Jul-Sep | |
| Thistle, Marsh (<i>Cirsium palustre</i>) | | 18 | 19 | | | | | Jul-Sep | |
| Thistle, Slender (<i>Carduus tenuiflorus</i>) | | | | | | | | Jun-Aug | |
| Thistle, Spear (<i>Cirsium vulgare</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jul-Oct | |
| Trefoil, Hop (<i>Trifolium campestre</i>) | | 18 | | | | 22 | | Jun-Sep | |
| Vetch, Bush (<i>Vicia cracca</i>) | | | | | | | | Apr-Aug | |
| Vetch, Common (<i>Vicia sativa</i>) | 17 | 18 | 19 | | 21 | 22 | 23 | May-Sep | |
| Violet, Sweet (<i>Viola odorata</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Mar-May | |
| Willowherb, Great (<i>Epilobium hirsutum</i>) | | | 19 | 20 | 21 | 22 | 23 | Jun-Aug | |
| Willowherb, Rosebay (<i>Chamerion angustifolium</i>) | 17 | 18 | 19 | 20 | 21 | 22 | 23 | Jul-Sep | |
| Willowherb, Broad Leaved (<i>Epilobium montanum</i>) | | | | 20 | 21 | | 23 | | |

| Sharphill Wood | 2023 | Date | Flowers | |
|---|------|------------|---------------------|---|
| Wild Flowers | | Noted | | |
| Agrimony (<i>Agrimonia eupatoria</i>) | | 23 | Jun-Sep | |
| Alkanet, Green (<i>Pentaglottis sempervirens</i>) | | | Apr-Jul | |
| Anemone, Wood (<i>Anemone nemorosa</i>) | | 23 | Mar-Apr | Only observed in North East (Zone 2) |
| Angelica (<i>Angelica sylvestris</i>) | | | Jun-Sep | |
| Avens, Wood (<i>Geum urbanum</i>) | | 23 | May-Aug | |
| Barberry (<i>Berberis vulgaris</i>) | | 23 | May-Jun | |
| Bindweed, Field (<i>Convolvulus arvensis</i>) | | 23 | Jun-Sep | |
| Bird's-foot-trefoil, Common (<i>Lotus corniculatus</i>) | | | Jun-Sep | |
| Bitter-cress, Wavy (<i>Cardamine flexuosa</i>) | | | Mar-Sep | |
| Bluebell, Spanish (<i>Hyacinthoides hispanica</i>) | | 23 | Apr-Jun | Probably hybrid |
| Bluebell (<i>Hyacinthoides non-scripta</i>) | | 23 | Apr-May | |
| Bramble (<i>Rubus fruticosus</i>) | | 23 | May-Sep | Classified as <i>Rubus fruticosus</i> agg. in the Nature Counts database |
| Bryony, Black (<i>Tamus communis</i>) | | 23 | May-Jul | Classified as <i>Dioscorea communis</i> in the Nature Counts database |
| Bryony, White (<i>Bryonia dioica</i>) | | 23 | May-Sep | |
| Buglos (<i>Anchusa arvensis</i>) | | | Jun-Jul | |
| Burdock, Lesser (<i>Arctium minus</i>) | | 23 | Jul-Sep | |
| Buttercup, Bulbous (<i>Ranunculus bulbosus</i>) | | 23 | Apr-Jun | |
| Buttercup, Creeping (<i>Ranunculus repens</i>) | | 23 | May-Aug | |
| Buttercup, Meadow (<i>Ranunculus acris</i>) | | 23 | May-Aug | |
| Campion, Bladder (<i>Silene vulgaris</i>) | | 23 | Jun-Aug | |
| Campion, Red (<i>Silene dioica</i>) | | 23 | Apr-Jul | |
| Campion, White (<i>Silene latifolia</i>) | | | May-Oct | Could be hybrid |
| Carrot, Wild (<i>Daucus carota</i>) | | | Jun-Aug | |
| Celandine, Lesser (<i>Ranunculus ficaria</i>) | | 23 | Mar-May | |
| Charlock (<i>Sinapis arvensis</i>) | | 23 | May-Aug | |
| Chickweed, Common (<i>Stellaria media</i>) | | 23 | Jan-Dec | |
| Chickweed, Greater (<i>Stellaria neglecta</i>) | | | Apr-Jul | |
| Cleavers (<i>Galium aparine</i>) | | 23 | Jun-Aug | |
| Clover, Bird's-foot (<i>Trifolium ornithopodioides</i>) | | | May-Sep | |
| Clover, Red (<i>Trifolium pratense</i>) | | 23 | May-Sep | |
| Clover, White (<i>Trifolium repens</i>) | | 23 | Jun-Sep | |
| Clover, Zig Zag (<i>Trifolium medium</i>) | | | Jun-Sep | |
| Corn Spurrey (<i>Spergula arvensis</i>) | | | Jun-Aug | |
| Cowslip (<i>Primula veris</i>) | | 23 | Apr-May | |
| Crane's-bill, Cut-leaved (<i>Geranium dissectum</i>) | | 23 | May-Aug | |
| Crane's-bill, Dove's-foot (<i>Geranium molle</i>) | | 23 | Apr-Sep | |
| Crane's-bill, Hedgerow (<i>Geranium pyrenaicum</i>) | | 23 | Jun-Sep | |
| Crane's-bill, Meadow (<i>Geranium pratense</i>) | | 23 | Jun-Sep | |
| Crane's-bill, Pencilled (<i>Geranium versicolor</i>) | | | May-Sep | Possibly introduced with other planting |
| Crane's-bill, Small-flowered (<i>Geranium pusillum</i>) | | 23 | Jun-Sep | |
| Creeping Cinquefoil (<i>Potentilla reptans</i>) | | | Jun-Sep | |
| Crocus, Spring (<i>Crocus vernus</i>) | | 23 | Mar-Apr | |
| Cuckoo-pint (<i>Arum maculatum</i>) | | 23 | Apr-May | (fr 7-8) |
| Currant, Flowering (<i>Ribes sanguineum</i>) | | 3/20/23 | Mar-Apr | |
| Daisy (<i>Bellis perennis</i>) | | 23 | Mar-Oct | |
| Daisy, Oxeye (<i>Leucanthemum vulgare</i>) | | 23 | May-Sep | Established in 'Buffer Zone'; some specimens now adjacent to post and rail fence |
| Daffodil (<i>Narcissus pseudonarcissus</i>) | | 23 | Mar-Apr | |
| Dandelion (<i>Taraxacum</i> agg.) | | 23 | Mar-Oct | |
| Dead Nettle, Red (<i>Lamium purpureum</i>) | | 23 | Mar-Oct | |
| Dead Nettle, White (<i>Lamium album</i>) | | 23 | May-Dec | |
| Dock, Broad Leaved (<i>Rumex obtusifolius</i>) | | 23 | Jun-Oct | |
| Dock, Clustered (<i>Rumex conglomeratus</i>) | | 23 | Jul-Sep | |
| Dock, Curled (<i>Rumex crispus</i>) | | 23 | Jun-Oct | |
| Dock, Wood (<i>Rumex sanguineus</i>) | | 23 | Jun-Aug | |
| Dog-violet, Common (<i>Viola riviniana</i>) | | 23 | Mar-May | |
| Dog-violet, Early (<i>Viola reichenbachiana</i>) | | 23 | Mar-May | |
| Enchanters Nightshade (<i>Circaea lutetiana</i>) | | 23 | Jun-Aug | |
| Forget-me-not, Changing (<i>Myosotis discolor</i>) | | | May-Jun | Could be early F-m-k; possibly both are present |
| Forget-me-not, Early (<i>Myosotis ramosissima</i>) | | 23 | Apr-Sep | |
| Forget-me-not, Field (<i>Myosotis arvensis</i>) | | 23 | Apr-Sep | |
| Forget-me-not, Wood (<i>Myosotis sylvatica</i>) | | | Apr-Aug | |
| Foxglove (<i>Digitalis purpurea</i>) | | | Jun-Aug | |
| Fumitory, Common (<i>Fumaria officinalis</i>) | | | May-Oct | |
| Glory of the Snow (<i>Chionodoxa lucillae</i>) | | | Mar-Apr | |
| Gorse (<i>Ulex europaeus</i>) | | | Jan-Dec | |
| Ground-ivy (<i>Glechoma hederacea</i>) | | 23 | Mar-May | |
| Groundsel (<i>Senecio vulgaris</i>) | | 23 | Jan-Dec | |
| Harebell (<i>Campanula rotundifolia</i>) | | | Jul-Sep | |
| Hawk's-beard, Beaked (<i>Crepis vesicaria</i>) | | | May-Jul | |
| Hawk's-beard, Smooth (<i>Crepis capillaris</i>) | | | Jun-Sep | |
| Hawkweed - Few-Leaved (<i>Hieracium</i> agg.) | | 23 | Jun-Sep | |
| Hedge-parsley, Upright (<i>Torilis japonica</i>) | | 23 | Jul-Aug | |
| Hemlock (<i>Conium maculatum</i>) | | 23 | Jun-Jul | |
| Herb-Robert (<i>Geranium robertianum</i>) | | 23 | Apr-Sep | |
| Hogweed (<i>Heracleum sphondylium</i>) | | 23 | Jun-Sep | |
| Honesty (<i>Lunaria annua</i>) | | 23 | Apr-Jun | |
| Honeysuckle (<i>Lonicera periclymenum</i>) | | 23 | Jun-Sep | Early 2019 whip planting, in flower |
| Ivy (<i>Hedera helix</i>) | | 23 | Sep-Nov | |
| Knapweed, Common (<i>Centaurea nigra</i>) | | | Jul-Sep | |
| Knotgrass (<i>Polygonum aviculare</i>) | | | Jul-Oct | |
| Lettuce, Prickly (<i>Lactuca serriola</i>) | | 7/27/23 | Jul-Sep | First recorded by the author prior to 2021, but not sighted in 2021 |
| Mallow, Common (<i>Malva sylvestris</i>) | | | Jun-Sep | Classified as <i>Matricaria chamomilla</i> in the Nature Counts database |
| Mayweed, Scented (<i>Matricaria recuta</i>) | | 23 | Jun-Jul | |
| Mayweed, Scintless (<i>Tripleurospermum inodurum</i>) | | | Jul-Sep | |
| Medick, Black (<i>Medicago lupulina</i>) | | | Apr-Aug | |
| Medick, spotted (<i>Medicago arabica</i>) | | 23 | Apr-Sep | |
| Mouse-ear, Little (<i>Cerastium semidecandrum</i>) | | | Apr-Jun | |
| Mugwort (<i>Artemisia vulgaris</i>) | | | Jul-Sep | |
| Mustard, Garlic (<i>Alliaria petiolata</i>) | | 23 | Apr-Jul | |
| Mustard, Hedge (<i>Sisymbrium officinale</i>) | | 23 | Jun-Jul | |
| Nettle, Common (<i>Urtica dioica</i>) | | 23 | Jun-Aug | Recorded on 08/10/19 after 2019 survey submitted |
| Nightshade, Black (<i>Solanum nigrum</i>) | | | Jul-Sep | Only observed in South West (Zone 5) |
| Orchid, Early-purple (<i>Orchis mascula</i>) | | 23 | Apr-Jun | |
| Oxtongue, Bristly (<i>Picris echioides</i>) | | 23 | Jun-Oct | |
| Pansy, Field (<i>Viola arvensis</i>) | | | Apr-Oct | |
| Parsley, Cow (<i>Anthriscus sylvestris</i>) | | 23 | Apr-Jun | |
| Penny-cress, Field (<i>Thlaspi arvense</i>) | | | May-Jul | |
| Pimpernel, Scarlet (<i>Anagallis arvensis</i>) | | | Jun-Aug | |
| Pineappleweed (<i>Matricaria discoidea</i>) | | 23 | May-Nov | |
| Plantain, Greater (<i>Plantago major</i>) | | 23 | Jun-Oct | |
| Plantain, Ribwort (<i>Plantago lanceolata</i>) | | 23 | Apr-Oct | |
| Poppy, Common (<i>Papaver rhoeas</i>) | | | Jun-Aug | Garden escape? |
| Poppy, Welsh (<i>Meconopsis cambrica</i>) | | | Jun-Aug | |
| Radish, Wild (<i>Raphanus raphanistrum</i>) | | | May-Sep | |
| Ragwort, Common (<i>Senecio jacobaea</i>) | | 23 | Jun-Oct | Classified as <i>Jacobaea vulgaris</i> in the Nature Counts database |
| Redshank (<i>Persicaria maculosa</i>) | | 7/10/23 | Jun-Oct | First recorded by the author prior to 2021, but not sighted in 2021 |
| Sandwort, Thyme-Leaved (<i>Arenia serpyllifolia</i>) | | | Jun-Aug | |
| Scabious, Field (<i>Knautia arvensis</i>) | | 23 | Jul-Sep | |
| Scurvygrass, Common (<i>Cochlearia officinalis</i>) | | | May-Aug | |
| Seltheal (<i>Prunella vulgaris</i>) | | 23 | Jun-Oct | |
| Shepherd's-purse (<i>Capsella bursa-pastoris</i>) | | 23 | Jan-Dec | |
| Silverweed (<i>Potentilla anserina</i>) | | | Jun-Aug | |
| Snowdrop (<i>Galanthus nivalis</i>) | | 23 | Jan-Mar | |
| Sow-thistle, Smooth (<i>Sonchus oleraceus</i>) | | 23 | Jun-Oct | |
| Sow-thistle, Perennial (<i>Sonchus arvensis</i>) | | 23 | Jul-Oct | |
| Sow-thistle, Prickly (<i>Sonchus asper</i>) | | 23 | Jun-Oct | |
| Speedwell, Common Field (<i>Veronica persica</i>) | | 23 | Jan-Dec | |
| Speedwell, Germander (<i>Veronica chamaedrys</i>) | | 23 | Mar-Jul | |
| Speedwell, Ivy-leaved (<i>Veronica hederifolia</i>) | | 23 | Apr-May | |
| Speedwell, Slender (<i>Veronica filiformis</i>) | | | Apr-Jun | |
| Speedwell, Thyme-leaved (<i>Veronica serpyllifolia</i>) | | | Mar-Oct | |
| Speedwell, Wood (<i>Veronica montana</i>) | | | Apr-Jul | |
| St John's-wort, Perforate (<i>Hypericum perforatum</i>) | | | Jun-Sep | |
| Tansy-leaved Phacelia (<i>Phacelia tanacetifolia</i>) | | | May-Aug | |
| Thistle, Creeping (<i>Cirsium arvense</i>) | | | Jul-Sep | |
| Thistle, Marsh (<i>Cirsium palustre</i>) | | 7/10/23 | Jul-Sep | First recorded by the author prior to 2021, but not sighted in 2021 |
| Thistle, Slender (<i>Carduus tenuiflorus</i>) | | | Jun-Aug | |
| Thistle, Spear (<i>Cirsium vulgare</i>) | | 23 | Jul-Oct | |
| Trefoil, Hop (<i>Trifolium campestre</i>) | | | Jun-Sep | |
| Vetch, Bush (<i>Vicia cracca</i>) | | | Apr-Aug | |
| Vetch, Common (<i>Vicia sativa</i>) | | 23 | May-Sep | |
| Violet, Sweet (<i>Viola odorata</i>) | | 23 | Mar-May | |
| Willowherb, Great (<i>Epilobium hirsutum</i>) | | 23 | Jun-Aug | |
| Willowherb, Rosebay (<i>Chamerion angustifolium</i>) | | 23 | Jul-Sep | |
| Willowherb, Broad Leaved (<i>Epilobium montanum</i>) | | 23 | Jun-Aug | |
| Woundwort, Hedge (<i>Stachys sylvatica</i>) | | 23 | Jul-Sep | |
| Yarrow (<i>Achillea millefolium</i>) | | | Jun-Aug | |
| Totals | | 89 | | |
| Grasses, sedges, rushes and ferns | | | | |
| Barley, Six-rowed (<i>Hordeum vulgare</i>) | | | Jun-Aug | |
| Barley, Wall (<i>Hordeum murinum</i>) | | 23 | May on | |
| Brome, Barren (<i>Bromus sterilis</i>) | | 23 | Apr-Jul | |
| Brome, False (<i>Brachypodium sylvaticum</i>) | | | Jul-Aug | |
| Brome, Hairy (<i>Bromus ramosus</i>) | | 23 | Jul-Aug | |
| Brome, Meadow (<i>Bromus commutatus</i>) | | 23 | May-Jul | |
| Brome, Smooth (<i>Bromus racemosus</i>) | | 23 | Jun-Jul | |
| Brome, Soft (<i>Bromus hordeaceus</i>) | | | May-Jul | |
| Cocksfoot (<i>Dactylis glomerata</i>) | | 23 | Apr-Nov | |
| Couch Grass, Bearded (<i>Elymus caninus</i>) | | 23 | Jun-Aug | |
| Couch Grass, Common (<i>Elytrigia repens</i>) | | 23 | Jun-Aug | |
| Fern, Broad Buckler (<i>Dryopteris dilatata</i>) | | 23 | Spores ripe Jul-Aug | |
| Fern, Male (<i>Dryopteris filix-mas</i>) | | 23 | Spores ripe Aug-Nov | |
| Foxtail, Meadow (<i>Alopecurus pratensis</i>) | | | Apr-Jun | |
| Meadow-grass, Annual (<i>Poa annua</i>) | | 23 | Jan-Dec | |
| Meadow-grass, Rough (<i>Poa trivialis</i>) | | 23 | May-Jul | |
| Meadow-grass, Smooth (<i>Poa pratensis</i>) | | | Apr-Jun | |
| Meadow-grass, Wood (<i>Poa nemoralis</i>) | | | May-Jul | |
| Millet, Wood (<i>Milium effusum</i>) | | | May-Jul | |
| Oat, Wild (<i>Avena fatua</i>) | | | Jun-Aug | |
| Oat-grass, False (<i>Arrhenatherum elatius</i>) | | 23 | May-Sep | |
| Oat-grass, Yellow (<i>Trisetum flavescens</i>) | | 23 | Jun-Jul | |
| Rye-grass, Perennial (<i>Lolium perenne</i>) | | 23 | May-Nov | |
| Sedge, Pendulous (<i>Carex pendula</i>) | | | | |
| Timothy (<i>Phleum pratense</i>) | | | Jun-Aug | |
| Wheat, Bread (<i>Triticum aestivum</i>) | | | Jun-Aug | |
| Yorkshire Fog (<i>Holcus lanatus</i>) | | 23 | May-Aug | |
| Totals | | 16 | | |
| Trees | | | | |
| Ash (<i>Fraxinus excelsior</i>) | | 23 | Apr-May | |
| Beech (<i>Fagus sylvatica</i>) | | 23 | Apr-May | |
| Blackthorn (<i>Prunus spinosa</i>) | | 23 | Mar-May | |
| Cherry, Bird (<i>Prunus padus</i>) | | 23 | May | |
| Cherry, Wild (<i>Prunus avium</i>) | | 23 | Apr-May | |
| Chestnut, Sweet (<i>Castanea sativa</i>) | | 23 | Jul | Original tree in centre of wood fell in 2022; saplings in vicinity maybe deriving nourishment from surviving (old) rootstock. |
| Crab Apple (<i>Malus sylvestris</i>) | | 23 | May | |
| Dog-rose (<i>Rosa canina</i> agg.) | | 23 | Jun-Jul | |
| Dogwood (<i>Cornus sanguinea</i>) | | 23 | May-Jul | |
| Elder (<i>Sambucus nigra</i>) | | 23 | Jun-Jul | |
| Elm, Wych (<i>Ulmus glabra</i>) | | 23 | Feb-Mar | |
| Field-rose (<i>Rosa arvensis</i>) | | 23 | Jun-Jul | |
| Gaulther-rose (<i>Viburnum opulus</i>) | | 23 | Jun-Jul | FoSW whip planting |
| Hawthorn (<i>Crataegus monogyna</i>) | | 23 | May-Jun | |
| Hazel (<i>Corylus avellana</i>) | | 23 | Jan-Mar | |
| Holly (<i>Ilex aquifolium</i>) | | 23 | May-Aug | |
| Lime (<i>Tilia x europaea</i> (T. x vulgaris)) | | 23 | Jul | Classified as Common Lime (<i>Tilia platyphyllos</i> x <i>cordata</i> = T. x europaea) in the Nature Counts database |
| Maple, Field (<i>Acer campestre</i>) | | 23 | May-Jun | |
| Maple, Norway (<i>Acer platanoides</i>) | | 23 | Mar-May | |
| Oak, Pedunculate (<i>Quercus robur</i>) | | 23 | Apr-May | |
| Oak, Red (<i>Quercus rubra</i>) | | 23 | 10/22/23 | |
| Oak, Sessile (<i>Quercus petraea</i>) | | 23 | Apr-May | |
| Oak, Cherry (<i>Prunus cerasifera</i>) | | 23 | Mar-Apr | |
| Pine, Scots (<i>Pinus sylvestris</i>) | | 23 | May-Jun | Leaning Scots Pine in Zone 3 fallen/been felled?? |
| Privet, Wild (<i>Ligustrum vulgare</i>) | | 23 | Jun-Jul | |
| Rowan (<i>Sorbus aucuparia</i>) | | 23 | May-Jun | |
| Spindle (<i>Euonymus europaeus</i>) | | 23 | May-Jun | |
| Sycamore (<i>Acer pseudoplatanus</i>) | | 23 | Apr-Jun | |
| Yew (<i>Taxus baccata</i>) | | 23 | Feb-Mar | |
| Totals | | 29 | | |
| Grand Total (Flowers, Grasses, Trees) | | 134 | | |
| NB: 'agg' indicates 'aggregate species', a group of very closely related species, treated as one | | | | |
| Species highlighted above: as listed in Sharphill Management Plan, 2013-18 | | | | |
| Species highlighted below: listed in Sharphill Management Plan 2013-18, but not recorded on surveys | | | | |
| Bindweed, Hedge (<i>Calystegia sepium</i>) | | | | |
| Species highlighted above: not recorded in surveys before 2017 | | | | |
| For the species highlighted above, the nomenclature given in Column A, taken from the reference book for this survey ('The Wild Flower Key', Francis Rose, 2006) differs from that given in the Nature Counts database (as reproduced in Column E). | | | | |

| Sharpill Wood | 2015 | 2014 | 2012 | 2001-06 | |
|---|----------|-------------|------------|------------|---|
| Anemone - Wood | R | Yes | | | two or three small clumps |
| Angelica | | | | Yes | |
| Avens - Wood | | Yes* | | | |
| Bindweed - Field | | | | Yes | |
| Black Medick | | | Yes | | |
| Bluebell - Spanish | F | Yes | Yes | Yes | widespread in some areas |
| Bluebell _ English | F | Yes | Yes | Yes | widespread in some areas |
| Bramble | A | Yes | Yes | Yes | |
| Buglos | | | | Yes | |
| Burdock | F | Yes | Yes | Yes | |
| Buttercup - Bulbous | | | | Yes | |
| Buttercup - Creeping | O | Yes | Yes | Yes | |
| Buttercup - Meadow | | Yes | Yes | | |
| Campion - Red | F | Yes | Yes | Yes | widespread |
| Cellandine - Lessor | A | Yes | Yes | Yes | widespread in many barer forest floor areas |
| Chickweed - Common | | Yes | Yes | yes | widespread in some areas |
| Chickweed - Greater | | | | Yes | |
| Cleavers | A | Yes | Yes | Yes | widespread in many barer forest floor areas |
| Clover - Zig Zag | | | | Yes | |
| Corn Spurrey | | | | Yes | |
| Cow Parsley | O | Yes | Yes | Yes | |
| Creeping Cinquefoil | | | | Yes | |
| Cuckoo Pint | F | Yes | Yes | Yes | |
| Daisy - Common | O | | | Yes | |
| Daffodil | R | | Yes | | couple of clumps |
| Dandelion - Common | R | Yes | Yes | Yes | |
| Dead Nettle - Red | | | Yes | | |
| Dead Nettle - White | R | Yes | Yes | Yes | |
| Dock - Broad Leaved | F | Yes | Yes | Yes | |
| Dock - Clustered | | Yes | | | |
| Dock - Curled | F | Yes | Yes | Yes | |
| Enchanters Nightshade | F | Yes | Yes | Yes | |
| Forget Me Knot - Field | | | Yes | Yes | |
| Forget Me Knot - Wood | | Yes* | | | |
| Foxglove | | Yes | | | single plant |
| Garlic Mustard | F | Yes | Yes | Yes | |
| Glory of the Snow | | | Yes | | garden escape ? |
| Ground Ivy | O | Yes | Yes | Yes | |
| Groundsel | | | | Yes | |
| Hawksbeard - Beaked | | | | Yes | |
| Hawksbeard - Smooth | | | | Yes | |
| Hawkweed - Few Leaved | | | | Yes | |
| Hedge Mustard | | | | Yes | |
| Hedge Woundwort | O | Yes | Yes | | |
| Hemlock | | | | Yes | |
| Herb Robert | O | Yes | Yes | Yes | |
| Herb Bennet | A | Yes | Yes | Yes | widespread |
| Hogweed | O | Yes | Yes | Yes | |
| Honesty | R | | | | |
| Ivy | F | Yes | Yes | Yes | widespread |
| Knotgrass | | | | Yes | |
| Mayweed - Pineapple | | Yes | | Yes | |
| Mayweed - Scented | | Yes* | | | |
| Mayweed - Scentless | | | Yes | | |
| Mugwort | | | | Yes | ???? |
| Nettle - Stinging | F | Yes | Yes | Yes | widespread in many barer forest floor areas |
| Orchid - Early Purple | R (54) | | 27 | 20 | Yes |
| Pansy - Field | | | | Yes | |
| Plantain - Greater | F | Yes | Yes | | |
| Plantain - Ribwort | | Yes | | | |
| Poppy - Common | | Yes | Yes | | |
| Prickley Lettuce | | | | Yes | |
| Ragwort - Common | | Yes | | | |
| Rose - Dog | O | Yes | Yes | | |
| Sandwort - Thyme Leaved | | | Yes | | |
| Scurvy Grass - Common | | | | Yes | |
| Shepherds Purse | | Yes | Yes | | |
| Silverweed | | | | Yes | |
| Sow Thistle - Smooth | | Yes* | Yes | | |
| Speedwell - Field | | | | Yes | |
| Speedwell - Germander | O | Yes | Yes | Yes | |
| Speedwell - Slender | | | Yes | | |
| Speedwel - Thyme Leaved | | | Yes | | |
| Speedwell - Wood | | Yes* | Yes | | |
| Thistle - Creeping | | | | Yes | |
| Thistle - Slender | | Yes | | Yes | |
| Thistle - Spear | O | Yes | Yes | Yes | |
| Sandwort - Thyme Leaved | | | Yes | | |
| Trefoil - Birds Foot | | | | Yes | |
| Trefoil - Hop | | | | Yes | |
| Upright Hedge Parsley | O | | Yes | | ??? |
| Vetch - Bush | | | | Yes | |
| Vetch - Common | | | | Yes | |
| Violet - Early Dog | | Yes | Yes | | 2012 - but must have been present |
| Violet - Common Dog | | Yes | Yes | | 2012 - but must have been present |
| Violet - Sweet | F | Yes | Yes | Yes | purple, white and light mauve variants widespread |
| Willow Herb - Great | | Yes | | | |
| Willow Herb - Rose Bay | | Yes | Yes | | |
| Willow Herb _ Broad Leaved | O | Yes | | Yes | |
| | | 36 | 50 | 49 | |
| GRASSES | | | | | |
| Broome - Soft | O | | | | |
| Cocksfoot | O | | | | |
| Meadow Grass - Rough | O | | | | |
| Meadow Grass - Wood | O | | | | |
| Oat Grass - False | O | | | | |
| Ryegrass - Perenail | O | | | | |
| Yorkshire Fog | F | | | | |
| | | | | | |
| OTHER SEDGES, GRASSES AND FERNS | | | | | |
| Pendulus Sedge | | Yes | | | |
| Male Fern | O | Yes* | | | |
| Broad Buckler Fern | O | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| OPEN(ISH) STRIP OPPOSITE WHEATCROFTS | | | | | |
| Agrimony | YES | Yes | *** | | |
| Buttercup - Creeping | YES | | | | |
| Bramble | YES | | | | |
| Cinquefoil - Creeping | YES | | | | |
| Cleavers | YES | | | | |
| Clover - White | YES | Yes | *** | | |
| Cranesbill - Cut Leaved | | Yes | *** | Yes | |
| Cranesbill - Dovesfoot | | Yes | *** | Yes | |
| Groundsel | YES | | | | |
| Harebell | | | | Yes | |
| Hawkweed - Few Leaved | YES | | | | |
| Plantain - Great | YES | | | | |
| Plantain - Ribwort | YES | | | | |
| Ragwort - Common | YES | | | | |
| Rose - Wild | YES | | | | |
| Scabious - Field | YES | Yes | *** | | |
| Self Heal | | | *** | | |
| StJohns Wort - Perforate | | | *** | | |
| Trefoil - Birds Foot | YES | | | | |
| Upright Hedge Parsley | | Yes | | | |
| Wild Carrott | | | | Yes | |
| Woundwort - Hedge | YES | | | | |
| Yarrow | | Yes | | Yes | |
| | | | | | |
| Broome - Soft | YES | | | | |
| Cocksfoot | YES | | | | |
| Couch Grass | YES | | | | |
| Oat Grass - False | YES | | | | |
| | | | | | |
| Note original list compiled from records 2001 to 2006 by Gordon Dyne 2014 includes records (Yes*) recorded in Plantlife Survey by Cath Lovat | | | | | |
| DAFOR Scale = Dominant Abundant Frequent Occasional Rare | | | | | |

